



Copyright FCI

3

NOTES:

- I) "FCI", PART NUMBER AND DATE CODE TO BE MARKED ON THIS SURFACE. THE MARK CAN BE OMITTED IF THERE IS NOT ENOUGH SPACE ON THIS SURFACE.
- 2) MATERIALS:
 - -HOUSING GLASS FILLED WITH HIGH TEMP THERMOPLASTIC, UL94V-0.
 - -SIGNAL CONTACT COPPER ALLOY.
 - -POWER CONTACT HIGH CONDUCTIVITY COPPER ALLOY.

2

- 3) PLATING SPECIFICATION REFER TO FCI 10116351
- 4) DENOTES CONNECTOR KEEP OUT ZONE.
- 5) DATUM AND BASIC DIMENIONS WERE ESTABLISHED BY CUSTOMER.
- 6) ALL HOLE DIAMETERS ARE FINISHED HOLE SIZES.
- 7) I.15±0.025MM DRILLED HOLE PLATED WITH 0.00762MM MIN Sn OVER 0.0254-0.0762MM Cu PLATING TO ACHIEVE A 1.02 ± 0.07 MM HOLE.
- 8) PRODUCT SPECIFICATION REFER TO FCI GS-12-658. APPLICATION SPECIFICATION REFER TO FCI GS-20-141. PRODUCT PACKAGED IN TRAYS, REFER TO FCI GS-14-1502.

3 PDS: Rev :A					STATUS:Released			Printed: Dec 09, 2013		
ww.	.fci.com cat. n	cat. no.			Product – Customer Dry			Drw	sheet 3 of 3	
💜 🕂 ra stb header									A	
F							06262-F	-007001		
pr	Pei-Ming Zheng	2013/12/08	product	family	P	PwrBlade+		rel level	Release	
hr	Li- He	2013/12/06					-	ecn no	-	
ng	Xie Bob	2013/12/08		\square				A 3	3:2	
dr	Xie Bob	2013/07/29	proje	ction	ММ		size	scale		

А

FCI

Copyright

D

А

В

С